

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	17	117/84-109.ccls. and (temperature or thermal) near2 gradient near5 (measur\$5 or calculat\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 18:18
L1	403	117/84-109.ccls. and (temperature or thermal) near2 gradient	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 18:18
S71	2	heuken.in. and simulat\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 18:36
S42	3	numer\$5 near5 simulat\$5 near20 temperature near5 (control\$10)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 18:36
S1	14	((michael near2 heuken or gert near2 strauch or harry near2 protzmann or holger near2 jurgensen or oliver near2 schon or dietmar near2 schmitz).in.) and (temperature or thermal) near5 control\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 18:36
L4	5	numer\$5 near5 simulat\$5 near20 temperature near5 (control\$10)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 18:36
L3	2	heuken.in. and simulat\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 18:36
S77	8	numer\$5 near5 (simulat\$5 or model) near10 (thermal temperature) same reactor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 18:37
L6	8	numer\$5 near5 (simulat\$5 or model) near10 (thermal temperature) same reactor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 18:41

L5	19	((michael near2 heuken or gert near2 strauch or harry near2 protzmann or holger near2 jurgensen or oliver near2 schon or dietmar near2 schmitz).in.) and (temperature or thermal) near5 control\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 18:41
----	----	--	---	----	----	------------------